

HELICOPTER TYPE

BELL 430

REG. MARKS

TC-HMI

LANDINGS:

2878

HELICOPTER T.S.N.

1568,00

ENGINE TYPE

RR 250-C40B

S.N.

49067

TQ

2880

DATE

31.07.18

LH Engine (#1)

SN :

CAE-844142

T.S.N.

1568,00

Cycle

2.330

RH Engine (#2)

SN :

CAE-844143

T.S.N.

1568,00

Cycle

2.330

Inspections are OK

Overhaul Parts are OK

CAUTION a Life Limit Part is expiring shortly!

Engine Life Limit Parts are OK

Lubrications are OK

AD / ASB / CEB's are OK

SCHEDULED INSPECTION PROGRAM

Helicopter Type : **BELL 430** S/N : **TC-HMI**
 LH Engine S/N : **CAE-844142**
 RH Engine S/N : **CAE-844143**
 Landings : **2878**

A/C Hrs. **1568,0** Up to **31.07.18**
 LH ENG Hrs **1568,0** LH Eng Cycles :
 RH ENG Hrs **1568,0** RH Eng Cycles :

Inspection Program (Ref. Chapter 5 Maintenance Manual BHT-430 MM-2)

Inspection Type	ACCOMPLISH EACH		LAST INPECTION		NEXT INSPECTION		REMANING		Remarks	Caution Flag
	HOURS	MONTHS	HOURS	DATE	HOURS	DATE	HOURS	DAYS		
Scheduled Inspections Airframe (Periodic Inspection Program)										
50 hours / Annual Inspection	50	12	1568,1	23-Tem-2018	1618	23-Tem-2019	50,10	357	BHT-430-MM-2 Paragraph 5-13	
150 hours / Annual Inspection	150	12	1568,1	23-Tem-2018	1718	23-Tem-2019	150,10	357	BHT-430-MM-2 Paragraph 5-14	
600 hours / Annual Inspection	600	12	1568,1	23-Tem-2018	2168	23-Tem-2019	600,10	357	BHT-430-MM-2 Paragraph 5-15	
100 hours Component Inspection	100		1539,7	20-Eyl-2017	1640	-	71,70	-	BHT-430-MM-2 Paragraph 5-28	
300 hours Component Inspection	300		1560,7	19-Ara-2017	1861	-	292,70	-	BHT-430-MM-2 Paragraph 5-29	
600 hours or 6 months Component Inspection	600	6	1568,1	23-Tem-2018	2168	23-Oca-2019	600,10	176	BHT-430-MM-2 Paragraph 5-30	
600 hours or 12 months Component Inspection	600	12	1560,7	19-Ara-2017	2161	19-Ara-2018	592,70	141	BHT-430-MM-2 Paragraph 5-31	
600 hours Component Inspection	600		1108,5	07-Eki-2013	1709	-	140,50	-	BHT-430-MM-2 Paragraph 5-32	
1200 hours Component Inspection	1200		1181,5	12-Haz-2014	2382	-	813,50	-	BHT-430-MM-2 Paragraph 5-33	
2500 hours Component Inspection	2500		0,0	18-May-2000	2500	-	932,00	-	BHT-430-MM-2 Paragraph 5-34	
6 months Inspection		6	1568,1	23-Tem-2018	1568	23-Oca-2019	-	176	BHT-430-MM-2 Paragraph 5-35	
2 years Inspection		24	1560,7	19-Ara-2017	-	19-Ara-2019	-	506	BHT-430-MM-2 Paragraph 5-36	
3 years Inspection		36	NO EMERGENCY FLOTATION SYSTEM INSTALLED						BHT-430-MM-2 Paragraph 5-37	
5 years Inspection		60	1568,1	23-Tem-2018	-	23-Tem-2023	-	1818	BHT-430-MM-2 Paragraph 5-38	
100 hours / 90 Day Corrosion	100	90	1568,1	23-Tem-2018	1668	21-Eki-2018	100,10	82	Corrosion Control Guide Chapter 30-6,7,8	
Special Inspections										
5-10 hrs of operation 1132:45 ile 1137:45 arası uygulanacak	10		1127,5	18-Haz-2013	1137				1136:55'de uygulandı	
Scheduled Inspections LH Engine (#1) CAE-844142										
150 hours Inspection	150		1568,1	23-Tem-2018	1718	-	150,10	-	250-C40B Manual 72-00-00 Table 603	
300 hours Inspection	300		1568,1	23-Tem-2018	1868	-	300,10	-	250-C40B Manual 72-00-00 Table 604	
1750 hours Inspection	1750		0,0	16-Haz-2000	1750	-	182,00	-	250-C40B Manual 72-00-00 Table 605	
Scheduled Inspections RH Engine (#1) CAE-844143										
150 hours Inspection	150		1568,1	23-Tem-2018	1718	-	150,10	-	250-C40B Manual 72-00-00 Table 603	
300 hours Inspection	300		1568,1	23-Tem-2018	1868	-	300,10	-	250-C40B Manual 72-00-00 Table 604	
1750 hours Inspection	1750		0	16-Haz-2000	1750	-	182,00	-	250-C40B Manual 72-00-00 Table 605	
Inspections Limitations Schedule										
Main Rotor Yoke Assembly covered in airframe 150 h insp	150		1560,7	19-Ara-2017	1711	-	142,70	-	BTH-430-MM-2 Table 4-2 BTH-430-MM-2 Page 15 - NOTE	
Main Rotor Yoke Assembly covered in 2500 h Comp Insp	2500		0,0	16-Haz-2000	2500	-	932,00	-	BTH-430-MM-2 Table 4-2 BTH-430-MM-2 Page 87 - NOTE	
Main Rotor Blade Assembly covered in 2500 h Comp Insp	2500		0,0	18-May-2000	2500	-	932,00	-	BTH-430-MM-2 Table 4-2	
Pylon Fluid Mount covered in 2500 h Comp Insp	2500		0,0	18-May-2000	2500	-	932,00	-	BTH-430-MM-2 Table 4-2	
Other Inspections										
Airworthiness Certificate		12		07-Eyl-2017	-	7-Eyl-2018	-	38		
Battery Inspection		12	1486.7	30-Mar-2018	-	30-Mar-2019	-	242		
					-	-	-	-		
					-	-	-	-		
					-	-	-	-		
600h/12m CVR system test	600	12	1568,1	23-Tem-2018	2168	23-Tem-2019	600	357	BHT-430-MMS-35	
1200h/24m CVR system test	1200	24	1503,0	07-Haz-2017	2703	7-Haz-2019	1135	311	BHT-430-MMS-35	
Stby Pwr Supply/Attitde Indicatr Tst		6	1568,1	23-Tem-2018	-	23-Oca-2019	-	176	BHT-430-MM-2 Paragraph 5-35	
EVERY 6 MO.S INSP ICINDE!		48	1108,5	14-Eyl-2017	-	14-Eyl-2021	-	1141		
Weight and Balance										
Pitot Static System Test, Transponder/Altimeter/ADC Test		24	1503,0	07-Haz-2017	-	7-Haz-2019	-	311	FAR 91.411, 413	
Static System Leak Check, compass swing magnetic compass check										
First Aid Kit Inspection 600h/12m insp. includes this		12	1568,1	23-Tem-2018	-	23-Tem-2019	-	357		
Portable Fire Extinguisher Inspection		12	1568,1	23-Tem-2018	-	23-Tem-2019	-	357		
ELT Insp.		12	1568,1	23-Tem-2018	-	23-Tem-2019	-	357	FAR 91.207(d)	
ELT battery		60	-	09-Eki-2013	-	1-Ara-2018	-	123		
ULB battery		72	-	18-Haz-2013	-	1-Ağu-2019	-	366		
Insurance		12	-	05-Aðu-2017	-	5-Aðu-2018	-	5		

MAINTENANCE PROGRAM - COMPONENT OVERHAUL OR INSPECTION SCHEDULE

Helicopter Type : **BELL 430**

S/N : **49067**

A/C Hrs **1568,00**

Up To **31 Tem 2018**

Engine S/N : **CAE-844142**

Eng Hrs **1568,00**

Cycles : **2.330**

Landings : **2878**

Rin **2880**

Overhaul Component (Ref. Chapter 5 Maintenance Manual BHT-430 MM-2)

PART NO	NOMENCLATURE	S/N	OVERHAUL INTERVAL		INSTALLATION REFERENCE						COMPONENT TODAY				RESIDUAL LIFE		REMOVE AT		Caution Flag
			HOUR	YEAR	HOURS	DATE	TSN	TSO	YEAR	Y. TSO	TSN	TSO	TOT	TSO	HOURS	YEARS	HOURS	DATE	
Airframe																			
222-012-701-125	Tail Rotor Hub Assembly	A-461	2500		0	18-May-00	0	0		0	1568			-	932	-	2500	-	
430-010-400-103	Swashplate & Support Assy	49067	5000		0	18-May-00	0	0		0	1568			-	3432	-	5000	-	
222-042-001-103	T/R GB Assy / Interim Insp	A-723	3000		0	18-May-00	0	0		0	1568			-	1432	-	3000	-	
SEE RED NOTE!	T/R GB Assy / Overhaul		5000		0	18-May-00	0	0		0	-			-	3432	-	5000	-	
222-044-003-113	Hanger Assembly	BP-456	3000		0	18-May-00	0	0		0	1568			-	1432	-	3000	-	
SEE RED NOTE!		BP-457			0	18-May-00	0	0		0	-			-	-	-	-	-	
222-044-003-115	Hanger Assembly	49067	3000		0	18-May-00	0	0		0	1568			-	1432	-	3000	-	
222-044-685-105	Main Driveshaft	A-1044	5000	5	1263	26-Dec-14	0	0		0	305		4	4695	1,4	6263	25-Dec-19		
222-044-685-105	Main Driveshaft	A-1055	5000	5	1263	26-Dec-14	0	0		0	305		4	4695	1,4	6263	25-Dec-19		
230-365-001-103	Oil Cooler Blower #1	1089	3000		549	4-Feb-05	549	549		0	1568			-	1432	-	3000	-	
230-365-001-103	Oil Cooler Blower #2	1088	3000		549	4-Feb-05	549	549		0	1568			-	1432	-	3000	-	
430-040-003-109	Main Xmsn Assy / Interim Ins	A-76	3000		0	18-May-00	0	0		0	1568			-	1432	-	3000	-	
SEE RED NOTE!	Main Xmsn Assy / Overhaul		5000		0	18-May-00	0	0		0	-			-	3432	-	5000	-	
430-110-400-105	Main Rotor Mast Assembly	A-75	5000		0	18-May-00	0	0		0	1568			-	3432	-	5000	-	
222-382-001-111FM	Collective Servo Actuator	HR493AB	10000	10	1070	18-Oct-12	0	0		0	498		6	9502	4,2	11070	16-Oct-22		
222-382-001-111FM	LH Cyclic Servo Actuator	HR475AB	10000	10	1070	18-Oct-12	0	0		0	498		6	9502	4,2	11070	16-Oct-22		
222-382-001-111FM	RH Cyclic Servo Actuator	HR473AB	10000	10	1070	18-Oct-12	0	0		0	498		6	9502	4,2	11070	16-Oct-22		
23081-063	Starter Generator	Y0061	1000		780	2-Jan-07	0	0		0	788			-	212	-	1780	-	
23081-063	Starter Generator	Y0062	1000		780	2-Jan-07	0	0		0	788			-	212	-	1780	-	
222-369-911-1	Hydrostatic Test, Fire Ext	36577A1		5	0	23-Jul-18	0	0		0	-		0	-	-	5,0	-	22-Jul-23	
222-369-911-1	Hydrostatic Test, Fire Ext	37086A1		5	0	23-Jul-18	0	0		0	-		0	-	-	5,0	-	22-Jul-23	
LH Engine (#1) CAE-844142																			
23063354	Turbine Assy	CAT-44664	1750		0	1-Apr-00	0	0		0	1568			-	182	-	1750	-	
23077067	Fuel Nozzle	1NS05437	2000		461	18-Feb-04	1	0		0	1108			-	892	-	2460	-	
23073353	Bleed Valve	FF55756	1500		482	31-Mar-04	0	0		0	1086			-	414	-	1982	-	
23078029	Hydromechanical Unit	JGAMT0559	2500		0	1-Apr-00	0	0		0	1568			-	932	-	2500	-	
RH Engine (#2) CAE-844143																			
23063354	Turbine Assy	CAT-44665	1750		0	12-Apr-00	0	0		0	1568			-	182	-	1750	-	
23077067	Fuel Nozzle	1WP09783	2000		664	4-Jan-06	0	0		0	904			-	1096	-	2664	-	
23073353	Bleed Valve	FF40228	1500		1240	25-Sep-14	0	0		0	1360			-	1172	-	2740	-	
23078029	Hydromechanical Unit	JGAMT0578	2500		987	12-Jan-11	987	0		0	1568			-	932	-	2500	-	

MAINTENANCE PROGRAM - AIRFRAME AIRWORTHINESS LIMITATIONS

Helicopter Type: **BELL 430**
 LH Engine S/N: **CAE-844142**
 RH Engine S/N: **CAE-844143**

S/N: **49067**
 LH Eng. Hrs.: **1568,0**
 RH Eng. Hrs.: **1568,0**

A/C Hrs.: **1568,0**
 LH Engine Cycles: **2330**
 RH Engine Cycles: **2330**

Landings: **2878**

Up To **31 Temmuz 2018**

Airworthiness Limitation (Ref. Chapter 4 Maintenance Manual BHT-430 MM-2)

PART NO	NOMENCLATURE	S/N	LIFE LIMIT		INSTALLATION REFERENCE			COMPONENT		LIFE TODAY		RESIDUAL LIFE		REMOVE AT		Caution Flag
			HOURS	RIN	HOURS	DATE	RIN	HOURS	RIN	HOURS	RIN	HOURS	RIN	HOURS	RIN	
Main Rotor																
430-010-127-101	Pin Assembly #1	A-0819	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-127-101	Pin Assembly #2	A-0814	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-127-101	Pin Assembly #3	A-0764	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-127-101	Pin Assembly #4	A-0817	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-127-101	Pin Assembly #5	A-0772	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-127-101	Pin Assembly #6	A-0778	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-127-101	Pin Assembly #7	A-0776	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-127-101	Pin Assembly #8	A-0703	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-109-101	Adapter Assembly #1	A-338	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-109-101	Adapter Assembly #2	A-336	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-109-101	Adapter Assembly #3	A-339	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-109-101	Adapter Assembly #4	A-340	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-115-101	Pitch Horn Assembly #1	A-352	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-115-101	Pitch Horn Assembly #2	A-351	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-115-101	Pitch Horn Assembly #3	A-353	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-115-101	Pitch Horn Assembly #4	A-354	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-310-104-105	Damper Blade Set #1	LK0438	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-310-104-105	Damper Blade Set #2	LK0446	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-310-104-105	Damper Blade Set #3	LK0445	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-310-104-105	Damper Blade Set #4	LK0437	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-310-101-107	Shear Restraint #1	LK1810	10000		1128	21-Dec-13		0		439,6	-	9560	-	11128	-	
430-310-101-107	Shear Restraint #2	LK1806	10000		1128	21-Dec-13		0		439,6	-	9560	-	11128	-	
430-310-101-107	Shear Restraint #3	LK1884	10000		1128	21-Dec-13		0		439,6	-	9560	-	11128	-	
430-310-101-107	Shear Restraint #4	LK1822	10000		1128	21-Dec-13		0		439,6	-	9560	-	11128	-	
430-010-105-105	Clamp Plate Set #1	A-520	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-105-105	Clamp Plate Set #2	A-519	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-105-105	Clamp Plate Set #3	A-528	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-105-105	Clamp Plate Set #4	A-521	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-124-103	Drive Bushing #1	A-203	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-124-103	Drive Bushing #2	A-206	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-124-103	Drive Bushing #3	A-204	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-124-103	Drive Bushing #4	A-209	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-124-103	Drive Bushing #5	A-202	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-124-103	Drive Bushing #6	A-193	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-124-103	Drive Bushing #7	A-195	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-124-103	Drive Bushing #8	A-197	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-126-101	Drive Plate Assembly	A-92	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
20-065-08083	Bolt #1	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
20-065-08083	Bolt #2	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
20-065-08083	Bolt #3	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
20-065-08083	Bolt #4	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
20-065-08083	Bolt #5	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
20-065-08083	Bolt #6	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
20-065-08083	Bolt #7	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
20-065-08083	Bolt #8	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
Main Rotor Controls																
430-010-411-105	Main Rotor Pitch Link Assembly	TY0309	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-411-105	Main Rotor Pitch Link Assembly	TY0308	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-411-107	Main Rotor Pitch Link Assembly	TY0315	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-411-107	Main Rotor Pitch Link Assembly	TY0317	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-409-105	Drive Hub Assembly	RE 73	10000		929	03-Jan-09		929		1568,0	-	8432	-	10000	-	
430-010-409-105	Drive Hub Assembly	RE 94	10000		929	03-Jan-09		929		1568,0	-	8432	-	10000	-	
430-010-409-101	Drive Link Assembly	RE 85	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-401-101	Rotating Ring Assembly	RE 75	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-402-101	Non-rotating Ring Assembly	RE 98	10000		169	28-Feb-01		0		1399,1	-	8601	-	10169	-	
430-010-412-105	Cyclic Link Assembly #1	RE 238	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-412-106	Cyclic Link Assembly #2	RE 268	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-404-101	Swashplate Support Assembly	A-100	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-403-105	Swashplate Ball and Sleeve Assy	A-148	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-405-105	Collective Lever Assembly	A-105	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-407-101	Collective Idler Link Assembly	RE 82	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-406-101	Cyclic Lever Assembly #1	RE 160	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
430-010-406-101	Cyclic Lever Assembly #2	RE 161	10000		0	18-May-00		0		1568,0	-	8432	-	10000	-	
222-040-125-001	Actuator Support Assembly	A-295	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
Control System Bolt and Pins																
50-047C6-36	Pitch Horn to Universal Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C6-28	Universal to Pitch Link Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C6-32	Pitch Link to Rotating Ring Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
20-057C5-19	Drive Hub to Drive Hub Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C6-99	Drive Hub to Idler Link Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C6-99	Idler Link to Drive Link Bolt	-	5000		169	28-Feb-01		0		1399,1	-	3601	-	5169	-	
50-047C6-49	Drive Link to Rotating Ring Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C6-32	Non-rotating Ring to Cyclic Link Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C6-32	Cyclic Link to Cyclic Lever Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C8-31	Cyclic Lever to Actuator Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C8-135	Collective Lever to Idler Link Bolt	-	5000		1029	17-Dec-11		0		539,0	-	4461	-	6029	-	
50-047C8-82	Idler Link to Swshplate Support Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C8-31	Collective Lever to Actuator Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
50-047C8-31	Actuator to Actuator Support Bolt	-	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-442-101	Ball Sleeve to Collect Lvr Pin #1	A-215	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-442-101	Ball Sleeve to Collect Lvr Pin #2	A-217	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-455-101	Collect Lvr to Cyclic Lvr Pin #1	ST-107	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
430-010-455-101	Collect Lvr to Cyclic Lvr Pin #2	ST-49	5000		0	18-May-00		0		1568,0	-	3432	-	5000	-	
Tail Rotor and Controls																
222-016-001-139ML	Tail Rotor Blade Assembly #1	A-2200	5000		2163	2 Octak 07		848		253,3	-	4747	-	6315	-	
222-016-001-131	Tail Rotor Blade Assembly #2	A-18														

MAINTENANCE PROGRAM - ENGINE AIRWORTHINESS LIMITATIONS

Helicopter Type : **BELL 430**

S/N **49067**

A/C Hrs. **1568,0**

Up To **31 Temmuz 2018**

LH Engine S/N : **CAE-844142**

LH Eng. Hrs **1568,0**

LH Eng Cycles : **2330**

Landings : **2878**

Rin **2880**

RH Engine S/N : **CAE-844143**

RH Eng. Hrs **1568,0**

RH Eng Cycles : **2330**

Airworthiness Limitation (Ref. Airworthiness Limitation Schedule 250-C40B Operation and Maintenance Manual)

PART NO	NOMENCLATURE	S/N	LIFE LIMIT		INSTALLATION REFERENCE					LIFE TODAY		RESIDUAL LIFE		REMOVE AT		Caution Flag
			HOURS	Cyc	HOURS	DATE	Cyl	HOURS	Cyl	HOURS	Cyl	HOURS	Cyl	HOURS	Cyl	
LH Engine (#1) CAE-844142																
Turbine Assy		23063354	CAT-44664													
23053299	1 st Stage Wheel	X146452	1775	3000	0	04-Jan-00	0	0	0	1568,0	223	207	670	1775	3000	
23032280	2 nd Stage Wheel	HX128754	1775	3000	0	04-Jan-00	0	0	0	1568,0	223	207	670	1775	3000	
6898663	3 rd Stage Wheel	HX93201	4550	6000	0	04-Jan-00	0	0	0	1568,0	223	2982	3670	4550	6000	
23066744	4 th Stage Wheel	HX75039	4550	6000	0	04-Jan-00	0	0	0	1568,0	223	2982	3670	4550	6000	
Compressor		23065593	CAC-44898													
23065591	Impeller	JY101563	7500	15000	0	04-Jan-00	0	0	0	1568,0	223	5932	12670	7500	15000	
RH Engine (#2) CAE-844143																
Turbine Assy		23063354	CAT-44665													
23053299	1 st Stage Wheel	X146543	1775	3000	0	04-Jan-00	0	0	0	1568,0	223	207	670	1775	3000	
23032280	2 nd Stage Wheel	HX128781	1775	3000	0	04-Jan-00	0	0	0	1568,0	223	207	670	1775	3000	
6898663	3 rd Stage Wheel	HX93141	4550	6000	0	04-Jan-00	0	0	0	1568,0	223	2982	3670	4550	6000	
23066744	4 th Stage Wheel	HX75088	4550	6000	0	04-Jan-00	0	0	0	1568,0	223	2982	3670	4550	6000	
Compressor		23065593	CAC-44904													
23065591	Impeller	JY101579	7500	15000	0	04-Jan-00	0	0	0	1568,0	223	5932	12670	7500	15000	

AD - SB - CEB STATUS

Up to 31.07.18

Cycles :	2.330
----------	-------

[illegible]